(according to Regulation (EC) No. 1907/2006)

PRODUCT NAME: LAGUUN 350 SC

REVISION DATE: 07.01.2020

VERSION: 05 Page 1 /7



1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name: LAGUUN 350 SC

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Description: Herbicide

1.3. Details of the supplier of the safety data sheet

Company: HEKTAŞ TİC. T.A.Ş

Address: Gebze OSB Mahallesi 700. Sok. No: 711/1 P.K. 41400 Gebze / Kocaeli / Turkey

Telephone: +90 262 751 14 12 E-mail: sds@hektas.com.tr

1.4. Emergency telephone number

Telephone: +90 262 751 14 12

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Acute toxicity (Category 4), H302 Aquatic Chronic (Category 1), H410

2.2 Label elements



Warning

Hazard Statements:

H302: Harmful if swallowed

H410: Very toxic to aquatic life with long-lasting effects

EUH401: To avoid risks to human health and the environment, comply with the instructions

for use.

(according to Regulation (EC) No. 1907/2006)

PRODUCT NAME: LAGUUN 350 SC

REVISION DATE: 07.01.2020

VERSION: 05 Page 2 /7



Precautionary statements:

P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P501: Dispose of contents/container to in accordance with local regulation

2.3. Other hazards: No information available.

For the classifications not written out in full in this section the full text can be found in section 16.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

3.2 Mixtures

Hazardous Component	% by Weight	CAS Number	Classification
Metribuzin	35-39	21087-64-9	Acute Tox. 4, H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Filler	>50	-	-

For the classifications not written out in full in this section the full text can be found in section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

Inhalation

Move to fresh air. Keep patient warm and at rest. If effects occur, consult a physician.

Skin contact

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison Control center or doctor for treatment advice if effects persist.

(according to Regulation (EC) No. 1907/2006)

PRODUCT NAME: LAGUUN 350 SC

REVISION DATE: 07.01.2020

VERSION: 05 Page 3 /7



Eye contact

Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing eyes. Call a poison control center or doctor for treatment advice if effects persist.

Ingestion

Do not induce vomiting unless told to do so by the poison control center or doctor. Never give anything by mouth to an unconscious person. Get medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: No information available.

Risks: No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing Media: Water spray, Carbon dioxide (CO₂), Foam, Dry chemical, Sand

5.2 Special hazards arising from the substance or mixture

In a fire, formation of carbon and nitrogen oxides and corrosive gases can be expected.

5.3 Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire and/or explosion do not breathe fumes.

Wear positive-pressure, self-contained breathing apparatus and full protective clothing.

Further information

Contain the spread of the fire-fighting media.

Do not allow run-off from fire-fighting to enter drains or water courses.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with spilled product or contaminated surfaces.

Use personal protective equipment.

6.2. Environmental precautions

Do not allow to get into surface water, drains and ground water.

(according to Regulation (EC) No. 1907/2006)

PRODUCT NAME: LAGUUN 350 SC

REVISION DATE: 07.01.2020

VERSION: 05 Page 4 /7



6.3. Methods and material for containment and cleaning up

Contain spilled material if possible. Sweep or shovel into a container. Avoid formation of dust. Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling:

Avoid exposure to dust and vapors by wearing appropriate personal protective equipment. Avoid skin and eye contact.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of reach of children. Store in a cool place and out of direct sunlight. Store away from sources of heat or ignition, strong alkalis, acids and water. Do not allow to become wet or overheated in storage.

Requirements for storage areas and containers: Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.

Advice on common storage: Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s): No information available.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

8.2. Exposure controls

Personal protective equipment

Respiratory Protection: Wear respirator

Hand Protection: Wear impermeable gloves to avoid skin contact. Wash hands always before

eating, drinking, smoking or using the toilet.

Eye protection: Use chemical goggles.

Skin and body protection: protective clothing as necessary to prevent skin contact.

Hygiene measures:

Avoid contact with skin, eyes and clothing.

Keep working clothes separately.

(according to Regulation (EC) No. 1907/2006)

PRODUCT NAME: LAGUUN 350 SC

REVISION DATE: 07.01.2020

VERSION: 05 Page 5 /7



Wash hands before breaks and at the end of workday.

Remove soiled and/or soaked clothing immediately and clean thoroughly before using again.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

❖ Form: Viscous liquid

Colour: Dirty white colored

❖ pH (%10): 6.0-9.5

Melting Point: Not applicable

Flash Point: Not available

❖ Vapour Pressure: 0.058 mPa (20ºC)(metribuzin)

Density: 1.040 – 1.140 g/cm³
In water: Disperse in water

♦ logP = 1.6 (pH 5,6, 20 °C) (metribuzin)

9.2. Other information: No information available.

10. STABILITY AND REACTIVITY

- **10.1. Reactivity:** Stable under recommended storage conditions
- **10.2. Chemical stability:** Stable under recommended storage conditions.
- **10.3. Possibility of hazardous reactions:** No hazardous reactions when stored and handled according to prescribed instructions.
- **10.4. Conditions to avoid:** Stable under recommended storage conditions.
- **10.5.** Incompatible materials: No information available.
- **10.6. Hazardous decomposition products:** carbon oxides, nitrogen dioxides, sulphur oxides and hydrogen cyanide can be expected.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Oral LD₅₀ (rat): 2500 mg/kg

Acute percutaneous LD₅₀ (rat) > 2000 mg/kg.

Inhalation LC₅₀ rats > 3.71 mg/l/4h

Skin Irritation: Not irritant Eye Irritation: Not irritant

Skin Sensitivity: Not sensivite (guinea pigs)

(according to Regulation (EC) No. 1907/2006)

PRODUCT NAME: LAGUUN 350 SC

REVISION DATE: 07.01.2020

VERSION: 05 Page 6 /7



12. ECOLOGICAL INFORMATION

12.1. Toxicity

The product should not be allowed to reach either ground or open waters.

Metribuzin

Rainbow trout LC₅₀= 74.6 mg/L (96 h) Bobwhite quail LD₅₀: 164 mg/kg Daphnia: LC₅₀ (48 h): 49.5 mg/L

12.2. Persistence and degradability: DT₅₀ (soil): 1-2 months

12.3. Bioaccumulative potential: Kow LogP: 1.6 (pH 5,6, 20 °C) (metribuzin)

12.4. Mobility in soil: No information available

12.5. Results of PBT and vPvB assessment: No information available.

12.6. Other adverse effects: No information available.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

In accordance with federal, provincial and local regulations.

14. TRANSPORT INFORMATION

UN-No **3082**

Class 9

Packaging group III

Description of the goods ENVIROMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Metribuzin)

Tunnel Code: **(E)** IMDG EmS: **F-A, S-F**

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006

16. OTHER INFORMATION

H302: Harmful if swallowed H400: Very toxic to aquatic life

(according to Regulation (EC) No. 1907/2006)

PRODUCT NAME: LAGUUN 350 SC

REVISION DATE: 07.01.2020

VERSION: 05 Page 7 /7



H410: Very toxic to aquatic life with long-lasting effects

EUH401: To avoid risks to human health and the environment, comply with the instructions

for use

The information and recommendations contained herein are provided in good faith and are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with the respect to the information herein.

SDS Preparer: Esin Gözde SAVAŞ E-mail: sds@hektas.com.tr Certificate No: GBF-A-0-2862